

Ohio Made is an Ohio-based distributor and manufacturer,
selling wood and metal products made right here in Ohio.

WOOD FLOORING



Ohio Made

www.Ohio-Made.com

info@Ohio-Made.com

About

Ohio Made is an Ohio-based distributor and manufacturer, selling wood and metal products made right here in Ohio.

Table of Contents

Species **2**

Widths & Lengths **3**

Engineered vs. Solid **4**

Specifications **5-6**

Grades **7-8**

Bevel **9**

Styles **10**

Surfaces **11**

Prefinished **12-25**

Adhesives & Underlayment **26**

Installations **27-34**

For wood for walls, please go to our sister company Evolution-Walls
www.Evolution-Walls.com

We can get
other species
as well

Species

White Oak



Walnut



Red Oak



Hickory



Ohio-Made sells these four species in hundreds of formats and options.
Please contact us to discuss what you need in species, grade, pattern, etc.

Lengths & Thicknesses

Lengths

1-8' | 2-10' | Special 3-10' | 5-10' | 7-10'
Can be ordered up to 12' (nominal lengths)
Special lengths available upon request

Thickness

Solid | 3/4" plank & engineered
| 5/8" plank and 3/4" plank
(extremely stable in all conditions)

Widths

2 1/4" up to 11 1/2"

Standard
4mm wear layer

9 ply Baltic Birch



Special
4mm wear layer

11 ply Baltic Birch



Special
6mm wear layer

11 ply Baltic Birch



Patterns

PLAINSAWN
{p/s}



QUARTERSAWN
{qtd}




RIFTSAWN
{rft}



Engineered vs Solid

IT'S WHAT IS BELOW THE SURFACE THAT COUNTS!



REFINISHING

Finishes on engineered flooring are so durable that you will get a lifetime of carefree use before a new finish is ever needed. Refinishing, therefore usually becomes a secondary consideration in the selection process.

FLEXIBILITY

Engineered flooring can be installed using either glue or staples. It can also be installed over all types of sub-floors from suspended wood to concrete slab. Engineered hardwood flooring, given proper conditions, can be used below grade. Solid hardwood flooring, on the other hand, has the limiting requirement of needing to be stapled down over suspended floors - above grade.

THICKNESS

Engineered hardwood flooring is generally thinner than solid hardwood. That means it can be used in many remodeling projects where a solid $\frac{3}{4}$ " floor would create a height problem.

STABILITY

Hardwood flooring is quite dimensionally stable over time. Solid hardwood may, under certain climatic conditions, be subject to swelling or shrinking. Engineered hardwood flooring, on the other hand while still subject to slight movement is the better choice where extreme seasonal climate changes may cause problems. The plywood-like construction of an engineered floor gives it more dimensional stability.

COST

Typically engineered hardwood flooring will cost you less than solid hardwood flooring for the same look because less of the valuable tree is used than with solid wood. Also, freight costs are lower because engineered flooring is lighter in weight and therefore less costly to transport. These factors also help make engineered flooring friendly to the environment.

UNFINISHED ENGINEERED FLOORING

SPECIFICATIONS

SPECIES	WHITE OAK RED OAK WALNUT HICKORY AMERICAN CHERRY
GRADES	CHARACTER CLEAR SELECT/BETTER
GRAIN PATTERNS	RIFT & QUARTERED RIFT ONLY QUARTERED ONLY PLAIN SAWN
SURFACE	UNFINISHED DESTRESSED HAND-SCRAPED PILLOWED EDGES WIRE BRUSHED PLUGS ROUND SQUARE PRE-DRILLED OR INSTALLED
LENGTH	STANDARD 2'-10' Approximately 4' SPECIAL 3' or longer 5' or longer Can be ordered up to 12' on as needed basis {nominal lengths}
THICKNESS	STANDARD 5/8" {4MM WEAR LAYER 9 PLY BALTIC BIRCH} SPECIAL 3/4" {6MM WEAR LAYER 9 PLY BALTIC BIRCH} SPECIAL 3/4" {4MM WEAR LAYER 11 PLY BALTIC BIRCH} {Extremely stable in all climates/applications}
WEAR SURFACE	STANDARD 5/32 or 4mm Pre-sanded when it leaves the mill, will still to be need sanded on site. All wear layers are sawn veneers to give a solid look with dimensional stability
MACHINING	Tongue & Groove End Matched, Square Edge Back Scored 4" Centers & Pre-Sanded
BEVEL	2 Sided (Standard 1/8" or Micro Bevel 1/16") 4 Sided (Standard 1/8" or Micro Bevel 1/16")
INSTALLATION	Can be nailed, stapled, or glued. When gluing please follow NOFMA/NWFA recommendations. Can be installed above grade or below.

INDIVIDUAL SPECIFICATIONS

RED OAK	2 1/4"- 11 1/2" Select/Better {R/Q RIFT QTD P/S} Character {R/Q or P/S}
WHITE OAK	2 1/4"- 11 1/2" Select/Better {R/Q RIFT QTD P/S} Character {R/Q or P/S}
WALNUT	2 1/4"- 11 1/2" Select/Better {R/Q P/S} Character {P/S}
SPECIAL	3"-8" HICKORY AMERICAN CHERRY
NOTE	Stock items will be nested and boxed for shipping protection

Grade SPECIFICATIONS

SELECT AND BETTER Mostly heartwood with a minimum number of character marks and discoloration which provides a uniform appearance while allowing for natural color variations in the hearwood | *Average Length 3.25'*

CHARACTER Character grade contains Select, 1 Common, 2 Common | *Nested Length 2'+ | Average Length 4'*

CLEAR Mostly heartwood with a minimum number of character marks and discoloration, providing a uniform appearance while allowing for all heartwood natural color variations. *Bundle 1.75 | Average Length 3.75'*

BUNDLE GUIDELINES

5/8" ENGINEERED | 11' LONG

{ BUNDLE SIZE | 2'-10' }

WIDTH	SF/BOX	SF/PALLET	BOXES/PALLET
2 1/4	22	880	40
3	19.5	936	48
4	26	1040	40
5	33	1056	32
6	19.5	936	48
7	23	920	40
8	26	1040	40

3/4" ENGINEERED | 11' LONG

{ BUNDLE SIZE 2'-10' }

WIDTH	SF/BOX	SF/PALLET	BOXES/PALLET
2 1/4	16	768	48
3	14.5	696	48
4	19.5	780	40
5	24.5	784	32
6	14.5	696	48
7	17	680	40
8	19.5	780	40



SELECT & BETTER



CHARACTER

Grades

SELECT & BETTER

Mostly heartwood with a minimum number of character marks and discoloration that provides a uniform appearance while allowing for natural color variations



CHARACTER

Character grade contains, 1 Common or 2 Common



1 COMMON

Contains prominent variations in coloration and varying characters. Available in solid only



2 COMMON

May contain sound natural variations of the forest product and manufacturing imperfections. The purpose of this grade is to furnish a floor suitable for homes, general utility use, or where character marks and contrasting appearance is desired. Available in solid only




FOR ALL SPECIFICS SEE NOFMA/NWFA GUIDELINES

EVOLUTION WALLS




Bevel


1/16" MICRO




1/8" STANDARD




Styles



CHEVRON



RANDOM WIDTH



SINGLE PLANK



HERRINGBONE



Micro Bevel



Surfaces

UNFINISHED
PREFINISHED
HANDSCRAPED
WIRE BRUSHED
BEVEL



Handscraped

Wire Brushed



Prefinished




Charcoal

Espresso

Chocolate

Mocha



Cocoa Mint


Slate

Cafe

Metal Gray

Pure White

Arctic White



Natural

Champagne

Genuine


Antique White



6 Coats of UV
cured BONA



Charcoal





Espresso






Chocolate





Mocha





Cocoa Mint



Slate





Cafe




Arctic White



Genuine




Champagne






Pure White





Antique White





Natural





Metal Gray





Adhesives & Glue

Ohio-Made sells the
adhesives for glue down and
rubber underlayments for
sound control

Contact us directly for more
information and pricing



Stained White Oak
in Chevron

There are over
thousands of
options.

If you don't see what
you are looking for,
send us an image
and we will help you
find it.



White Oak in
Kitchen

White Oak
on walls and ceiling



White Oak in
Herringbone



Natural White Oak





Wirebrushed White Oak



White Oak
Character Wide Plank Engineered



Walnut Chevron

White Oak
Character
Engineered





White Oak Engineered



Hickory Select & Better



Hickory Character



Walnut Engineered



Walnut



Hickory Natural



Walnut Select & Better



Hickory Select & Better
Engineered Wide Plank




Walnut Engineered Wide Plank

Walnut Character





Walnut Wide Plank Engineered



Dark Stained Walnut



Hickory Character Engineered



Walnut Wide Plank Oil Finished

